



INDEX MAPS.

T. 3N R. 1W 2nd Mer.



T. 4N R. 1W 2nd Mer.



The figures on the lines refer to the page.

Township No 3 N.R. No 17. 2nd Mer.
Ch. 67.

2nd Meridian Indiana

North Continued the 2nd Mer. East side of sec 36
T.N. 3 N.R. No 17

4500 Set temporary post for cor to 1/4 sec
8000 Set temporary post for cor to sec. 25 & 36 T.N. 3
N. R. 17. 2nd Mer. Landed rich and good
Timber Oak Hickory 4 feet to underground office

North Continued the 2nd Mer. East side of sec 25
T. N. 3 N.R. No 17. 2nd Mer

10.54 Fell 4 ch. East of the corner on the Mer. and
Stream and line

South On the 2nd Mer between Towns 3 & 3 4th 17 & 17
E 2nd Mer

10.54 Set temporary mile post on true line for cor to sec.
25 & 36 T.N. 3 N.R. 17 from which a Hickory
12 in dia bears N 67 E. 36 links dist; tall Oak
10 " " " S 78 W. 20 " "

South Continued the 2nd Mer on the East side of
Sec. 36. T.N. 3 N.R. No 17.

4000 Moved the temporary post to true line for cor to 1/4
sec from which an Elm 7 in dia bears N 26 E
19 links dist; under an Elm 8 " " " S 86 W
28 " "

8000 Moved the temporary post and set it on the true line
for the corner of Towns 2 & 3 N.R. No 16 and
219 N.R. No 17. 2nd Mer from which a W.
Oak 10 in dia bears S 88 E 17 links dist; tall
Dogwood 7 " " " N 66 W. 26 " "

Subdivisions

East Between Sec. 25 & 36 T.N. 3 N.R. No 17
from the Old Indian boundary
79 Set a post for cor of sec. 25 & 36 on the Mer.

T. N. 3 N.R. No. 17. 2nd Mer. Ind. 2^o

8.57 Links South of the mile post from which
a Buck 10 in dia bears S64 N. 4 links dist; to
a Logwood 6 in dia N40 E 26 in dia
Nov. 23rd 1806.

East Between Towns 2 & 3 N. R. No. 17. From
the 1/4 sec of Sec No 36 T 3 N.R. No. 17
40.10 Set a post for cor. of Towns 2 & 3 N.R. No. 17
on the N.S. line 46 ch. North of the Cor
of Towns 2 & 3 N.R. No. 17 from which a
Bum 10 in dia bears N70 N. 11 links dist; to
a B. Oak 30 in dia N84 E. 26 in dia
This 1/2 mile over good farming land;
Timber Oak, Hickory Sugar & Walnut.
Surveyed by Arthur Hennin
Depy. Surv.

North Between Sec. 31 & 32 T. N. 3 N.R. 17.
28.00 To a Poplar 12 in dia. Stands in the line
40.00 Set a post for cor to 1/4 Sec from which a Sugar
12 in dia bears S84 N. 28 links dist; to a Bum
12 in dia N44 E. 33 in dia
49.00 To a Honey Locust 18 in dia stands in the line
80.00 Set a post for cor to Sec. 29, 30, 31 & 32 from
which a Logwood 7 in dia bears S63 N. 15 links
dist; under Hickory 7 in dia N45 E. 32 in dia
N. W. side Hill lands; Timber Sugar
Walnut & Cherry; some Oak, Hackberry
&c

North Between Sec. 29 & 30 T. N. 3 N.R. No. 17
28.50 To a Oak 24 in dia stands in the line
40.00 Set a post for cor to 1/4 Sec from which a Bum
8 in dia bears N58 N 13 links dist; to a Hickory
7 in dia N58 N 8 in dia

T N^o 3 N R N^o 1 77 2nd mile from end.

8000 Get a post for cor to Oct. 19 20, 29, 130 T N^o 3 N R N^o 1 77. From which a R Oak 10 in dia bears N 31 W. 36 the distⁿ a Sugar 12 u a u N 34 E 50 u a u Sands pit & Timber same as last mile

North Between Oct. 34 & 35 T N^o 3 N R

28.00 a Hickory 14 in. diam. stands in the line
40.00 Get a post for cor to 74 Sec from which a Poplar 7 in dia bears N 75 E 17 links dist; & a R Oak 7 u a u N 45 W 13 u a u
8000 Get a post for cor to Oct 26 27. 34 & 35 from which a R Oak 14 in dia bears S 37 W. 7 links dist & a Hickory 7 u a u N 57 E. 33 u a u Sands good rate Hills Timber Oak

North Between Oct. 26 & 27 T N^o 3 N R N^o 1 77

29.00 To a Poplar 24 in dia stands in the line
4000 Get a post for cor to 74 Sec from which a R Oak 12 in dia stands for cor to 74 Sec
8000 Get a post for cor to Oct. 22, 23, 26 & 27 T N^o 3 N R N^o 1 77. From which a R Oak 14 in dia stands N 47 E. 20 links dist; & an Elm 7 u a u N 55 W. 11 u a u Sands mud timber same as last mile:

North Between Oct. 22, & 23. T N^o 3 N R N^o 1 77

21.00 To a Hickory 24 in dia stands in the line
4000 Get a post for cor to 74 Sec from which a Hickory 11 in dia bears N 44 W 28 links dist; & a Bl cherry 18 u a u N 4 E 8 u a u
52.70 To a Hickory 20 in dia stands in the line
8000 Get a post for cor to Oct 14, 15, 22, 23. T N^o 3 N R N^o 1 77. From which a Sugar 7 in dia bears N 24 W 10 links dist; & a Dogwood 7 u a u S 75 E 20 u a u

T N^o 3 NR N^o 17th 2nd Mile New Ind.?

Same soil and timber same as last mile

-
- North Putnam Sep. 35, 136 T N^o 3 NR N^o 17th
 4000 Set a post for cor. to 1/4 Sec from which a B
 Cherry 8 in dia bears N 1/2 E 22 the dist to
 Hick 8 " " " S 11 E. 11 " "
 8000 Set a post for cor. to Sep. 25, 26, 35, & 36 T N^o
 3 NR N^o 3rd from which a B Oak 20 in dia
 bears S 39 E 10 links dist; to do 11 " "
 " N 70 W 28 " " Same 2nd mile New
 Timber chiefly Oak.

-
- North Putnam Sep. 25 & 26 T N^o 3 NR N^o 17th
 4000 Set a post for cor. to 1/4 Sec from which a B
 Oak 11 in dia bears West 19 links; to a Poplar
 7 " " East 10 "
 51.50 To a B Oak 24 in dia stands in the line
 8000 Set a post for cor. to Sep. 23, 24, 25 & 26 T N^o
 3 NR N^o 17th from which a B Oak 10 in dia
 bears N. 9 links dist; under Poplar 7 " "
 " S 44 W 24 " "
 Same timber & soil same as last mile

-
- North Putnam Sep. 23 & 24 T N^o 3 NR N^o 17th
 37.50 To a B Oak 24 in dia stands in the line
 4000 Set a post for cor. to 1/4 Sec from which a
 Elm 8 in dia bears N 1/2 E 25 the dist; to
 Dogwood 7 " " " S 78 W 11 " "
 7000 To a Gum 8 in dia which stands for cor. to Sep.
 23 & 24 in Framers line. Same 2nd mile
 Timber Oak & some Sugar & c

-
- North Putnam Sep. 14 & 15 T N^o 3 NR N^o 17th
 1800 Set a post on Framers line from which a
 Mulberry 8 in dia bears S 70 W 29 links dist.
 to an Elm 8 " " " S 51 W 27 " "

T N^o 3 NR N^o 17. 2nd Me

1st Rate Hill lands; Timber B. Walnut Sugar
Oak Hackberry & Oak Dec. 30

North Between Dec. 33 & 34 T N^o 3 NR N^o 17
 40.00 To a W Oak 16 in dia which stands for cor
 to 1/4 sec
 80.00 Set apart for cor to Dec. 27, 28, 33, & 34 T N^o 3
 NR N^o 17 from which a log made 7 in dia
 bears N 49 E - 12 links dish; to a W Oak 20 in
 " " 14 W 13 " " Lands 2nd rate
 Timber chiefly Oak.

North Between Dec. 30 & 31 T N^o 3 NR N^o 17
 40.00 Set apart for cor to 1/4 sec from which a W Oak
 7 in dia bears S 57 W 8 links dish; to a W Oak
 7 in " " N 36 E. 21 in " "
 80.00 Intersected Run & line for cor to Dec. 30 31 25
 and 36 T 3 NR N^o 1 & 2 W 1st rate
 hill lands; Timber B Walnut Sugar Oak &c

North Between Dec. 25 & 30 T^s 3 NR^s 1 E & 1 W
 from the post on Strumans line;
 18.00 To a Poplar 48 in dia stands on the line
 38.00 Set apart for cor to 1/4 sec on new Elm 10 in
 dia which stands for the cor.
 78.00 Set apart for cor to Dec. 19 & 24 25 & 30 T^s
 3 NR^s 1 E & 1 W from which a log made 7 in
 dia bears N 21 W. 19 links dish; to a W Oak 20 in
 " " 4 W. 44 " " Lands 1st
 rate Mat Ridge Timber Poplar B Walnut, Sugar
 Oak &c

North Between Dec. 19 & 24 between N^o 1 E & 1 W
 T^s 3 NR from the above post
 37.75 To a log made 7 in dia for cor to Dec. 19 & 24
 standing on Strumans line Lands & Timber

T. N. 3 N. R. N. 177 2nd Mer. Ind. ^a

Same as the last mile

Range 1 E.

East From the post for cor to sec. 24 + 25 between
Sec. 19 + 30 T. N. 3 N. R. N. 1 E

24.50 Set a post for cor to sec. 19 + 30 T. N. 3 N. R. 1 E
from which a Mulberry 8 in dia stands for cor
tree; Lands under timber same as last mile

East Between Sec. 25 + 36 T. N. 3 N. R. N. 177
From post on Stream and line

40.00 To a Mulberry 6 in dia which stands for cor
to $\frac{1}{4}$ sec

48.25 Set a post for cor to sec. 25 + 36 from which
an Elm 7 in dia bears S 27 E 11 links dist; to
Poplar 30 " " " N 36 W 22 " "
Lands $\frac{1}{4}$ rate Hill; Timber Walnut Sugar P
Oak:

West Between Sec. 26 + 35 T. N. 3 N. R. N. 177

40.00 To a Hognut 8 in dia which stands for cor to
 $\frac{1}{4}$ sec

80.00 Set a post for cor to sec. 26, 27, 34 + 35 T. N.
3 N. R. N. 177

Lands under timber same as the last mile

West Between Sec. 27 + 34 T. N. 3 N. R. N. 177

40.00 Set a post for cor to $\frac{1}{4}$ sec from which a
St Oak 18 in dia bears N 25 E 18 links dist to
Hickory 11 " " " S 14 W 18 " "
Lands under timber same as last mile

80.00 To a post set for cor to sec. 27, 28, 33 + 34

West Between Sec. 28 + 33 T. N. 3 N. R. N. 177

40.00 Set post for cor to $\frac{1}{4}$ sec from which a B Wal
nut 8 in dia bears N 60 W 24 links dist to
Do 12 " " " S 40 E 29 " "

T. N. 3 N. R. No. 17 2nd Mer. Ind.

80.00 To a first set for cor to Sect 28, 29, 30 & 33
Sands 2nd rate Hills: Timber Oak
Dec. 31.

West Return Sect. 29 & 32 T. N. 3 N. R. No. 17
40.00 Set a post for cor to 1/4 sec from which a Beck
7 in dia beam N 71 W 20 links whi; & a Dogwood
4 in - - - - - S 71 E 9 in - - -

80.00 To a first set for cor to Sect. 29, 30, 31 & 32
Sands under timber same as last mile

North Return Sect 27 & 28 T. N. 3 N. R. No. 17
40.00 To a Beck 16 in dia stands for cor to 1/4 sec
80.00 Set a post for cor to Sect. 21 & 22 27 & 28 from
which a Gum 12 in dia beam N 84 E 14 links
whi; & a 10 in - - - - - S 32 E 42 in
Sands timber and soil same as last mile

West Return Sect 24 & 25 T. N. 3 N. R. No. 17
40.00 To a Dogwood 6 in dia stands for cor to 1/4 sec
80.00 Set a post for cor to Sect. 23, 24, 25, & 26
Sands timber and soil same as last mile

West Return Sect. 23 & 26 T. N. 3 N. R. No. 17
40.00 To a Gum 19 in dia stands for cor to 1/4 sec
80.00 To a post set for cor to Sect. 22, 23, 26 & 27
Sands 2nd rate Hills: Timber Oak, Dogwood
& eq

West Return Sect. 22 & 27 T. N. 3 N. R. No. 17
40.00 To a Beck 18 in dia which stands for cor to
1/4 sec
80.00 To a post set for cor to Sect 21, 22, 27 & 28
Sands timber & soil same as last mile;

East Return Sect 14 & 23. T. N. 3 N. R. No. 17

J No 3 NR No 177 2nd Me. Ind.^a

- 40.00 Get the 1/4 sec on a Mt. Oak 11 in dia
 48.00 To a Mt. Oak 11 in dia which stands for cor
 to Sec 14 & 23. J No 3 NR No 177
 1st rate best stands; Timber Mt Oak Walnut
 Hackberry &c

- North Between Sec 32 & 33. J No 3 NR No 177
 17.00 To a Spruce 30 in dia stands in the line
 40.00 Get a post for cor to 1/4 sec from which a Mt.
 Oak 10 in dia bears N38 E 26 links dish; to
 West 10 a a - S 40 W 8 a a
 66.70 To a Mt Oak 15 in dia stands in the line
 80.70 Get a post for cor to Sec 28, 29, 32, & 33
 from which a Mt Oak 24 in dia bears N43 E
 24 links dish; to Spruce 12 a a - N 52 W
 54 a a - 2nd rate stands; Sunk Holes
 Timber Oak Beech &c

- North Between Sec 28 & 29 C^t No 3 NR No 177
 31.75 To a Spruce 20 in dia stands in the line
 40.00 Get a post for cor to 1/4 sec from which a Mt Oak
 12 in dia bears N10 E 29 links dish; to
 10 a a - S 13 E 37 a a
 59.00 To a Mt Oak 20 in dia stands in the line
 80.70 Get a post for cor to Sec 20, 21, 28, & 29
 from which a Mt Oak 18 in dia bears S 85 W
 38 links dish; to Beech 9 a a - N 75 W
 34 a a -

- North Between Sec 20 & 21 J No 3 NR No 177
 34.00 To a Mt. Oak 24 in dia stands in the line
 40.00 Get a post for cor to 1/4 sec from which a Red
 Oak 20 in dia stands S 83 W 14 links dish
 under an R Oak 24 in dia bears N 83 E 28 a a
 69.40 To a Mt. Oak 24 in dia stands in the line
 80.70 Get a post for cor to Sec 16, 17, 20 & 21

J. N. 3 N. R. No. 177. 2nd Nov. Ind.

From which all Oak 12 in dia bears \$2830
 hicks dish; + all Oak 24 u e - \$25841
 u e - Lando 1st rate hills; Sunk Woods
 timber Sugar Beech & Oak

North Between Sep. 16 & 17 J. N. 3 N. R. No. 177
 37.60 To a Noisy 24 in dia stands in the line
 4000 Get post for cut to pulps from which a Sugar
 12 in dia bears \$3377. 30 lbs dish; 20
 14 u e - \$878. 33 u e -
 00.00 To a Poplar 30 in dia stands in the line
 72.00 To Aramans hill; Get a post from which a
 17 Oak 6 in dia bears \$588 32 hicks dish;
 Beech 6 u e - \$377 35 u e -
 2nd rate uplands Beech, Sugar tree, 19

North Between Sep. 21 & 22 J. N. 3 N. R. No. 177
 30.70 To all Oak 20 in dia stands in the line
 4000 Get a post for cut to pulps from which all
 Oak 10 in dia stands \$848. 20 lbs dish &
 17 Oak 8 u e - \$1677 24 u e -
 63.24 To a Poplar 24 in dia stands in the line
 8000 Get a post for cut to Sep. 15, 16, 21 & 22 from
 which an Oak 14 in dia bears \$897. 29 lbs
 dish; + a Sugar 10 u e - \$4877 12 u e -
 u e - 1st + 2nd rate uplands; Timber
 Oak Sugar tree and Poplar

North Between Sep. 15 & 16 J. N. 3 N. R. No. 177
 34.99 To a Noisy 30 in dia stands in the line
 40.00 Marked pulps post in a Poplar 30 in dia
 42.00 To Aramans hill Get a post from which
 all Walnut 12 in dia bears \$578. 20 lbs dish
 to all Oak 12 u e - \$3077 8 u e -
 Lando 1st rate hills Timber Oak, Sugar Poplar
 Sunk Hills

J. No. 1 N.R. No. 177. 2nd rate Mer. Ind.

begin

Must Between Dec. 15 + 22 J. No. 3 N.R. No. 177
 40.00 To a post set for cor to 1/4 sec on a log made 9
 in dia
 80.00 Antisipated N.S. line at a post set for cor to Dec.
 15, 16, 21 + 22 J. No. 3 N.R. 177.
 Lands 1st rate uplands; Sugar tree Oak, Poplar &
 White Holes

North Between Dec. 19 + 20 J. No. 3 N. R. No. 177
 24.07 To an N. Oak 30 in dia stands in the line
 40.00 Set a post for cor to 1/4 sec from which a N. Oak
 6 in dia bears N40 W. 20 miles dist; & a log made
 8 in dia - S52 E. 23 in -
 65.70 To a N. Oak 20 in dia stands in the line
 80.00 Set a post for cor to Dec. 19, 20, 17, & 18 J. No. 3
 N.R. No. 177. From which an N. Oak 30 in dia
 bears N43 W. 31 miles dist; & a Hickory 10 in dia
 - S55 E. 13 in - Lands 2nd rate hills
 Timber Oak Poplar & Dogwoods

Must Between Dec. 18 + 19 J. No. 3 N. 2nd rate Mer
 40.00 Made a 1/4 sec cor on a Buck 20 in dia
 80.00 Antisipated N.S. line at a post set for cor to
 18 + 19 J. No. 3 N.R. No. 177 & 13 + 24 J. No. 3 N.
 R. No. 277 Lands 1st rate; Hill lands; Timber
 Oak, Poplar

North Between Dec. 17, 18 J. No. 3 N.R. No. 177
 12.93 To an Oak 15 in dia stands in the line
 40.00 Set a post for cor to 1/4 sec from which a N. Oak
 12 in dia bears N52 W. 15 miles dist; & a N. Oak
 10 in dia - N45 E. 27 in -
 64.44 To a Hickory 20 in dia stands in the line
 80.00 Made a Dog woods 12 in dia for cor to Dec.
 7, 8, 17, 18 from which a Poplar 10 in dia bears
 N25 W. 23 miles dist; Lands 2nd rate; uplands

43

T N^o 3 M R N^o 177. 2nd Mer. Ind^a.

Wash Return Dec. 7 & 8 T N^o 3 M R N^o 177
 19.55 Antiquated Strumaine line under a post for cor
 to Dec. 7 & 8 from which a W Oak 14 in dia bears
 N E. 38 knots ash; & a W. Oak 20 in dia
 Dec 7. 33 in 2nd rate Hill

Wash On Return Dec. 21 & 28 T N^o 3 M R N^o 177
 40.00 Marked 1/4 sec post on a Red Oak 40 in dia
 80.00 Antiquated N. & S line at a post for cor to Dec. 21,
 21, 28, & 29 T N^o 3 M R N^o 177
 2nd rate uplands Timber Oak, Poplar, &
 Pine & Cedar

Wash Return Dec. 20 & 29 T N^o 3 M R N^o 177
 40.00 Set a 1/4 sec post from which a Beech 12 in dia
 bears N 57 E. 15 knots ash; & a Log. wood 6 in
 dia 10 in
 80.00 Antiquated N. & S line at a post set for cor to Dec. 19
 20, 29, & 30 2nd rate on 2nd rate Hill.
 Timber Oak. Sep

Wash Return Dec 19 & 30 T N^o 3 M R N^o 177
 40.00 Marked 1/4 sec cor on a Red Oak 24 in dia
 80.00 Antiquated N. & S line at a post set for cor to Dec.
 24 & 25 M R 2nd T. T N^o 3 M. 3rd rate Hill & land
 Timber chiefly Oak

Wash Return Dec. 8 & 17 on Strumaine line
 24.50 When a Beech 10 in dia bears N 53 W 55 knots ash
 & a W. Oak 20 in dia Dec 5 & 30 in
 17.00 1/4 sec post minute was taken in a rain on a Sepa-
 rate piece of paper under cover to be repaired as not to be
 ready
 56.70 Antiquated N & S line at the post set for cor to Dec
 7, 8, 17, & 18 T N^o 3 M R N^o 177. 2nd rate
 Wash under Oak Hills;

T^h 3rd N^o 3 N^o 17th 2nd Mer. Indiana

40.00 Between Sec. 7, 18 T^h 3rd N^o 17th
 40.00 Set a post for cor to 1/4 sec from which a
 in dia bears N 65th 33 hds dish; + a 7th Oak 20
 n n ~ N 68th 40 n n
 80.00 Intersected Range line at the post set for cor to
 Sec. 1 & 2 T^h 3rd N^o 17th.
 Land 3rd Bush and Oak Hills;

40.00 Between Sec. 16 & 21 T^h 3rd N^o 17th
 40.00 Set a post for cor to 1/4 sec from which a 1/2
 in dia bears S 80th E 24 hds dish; + a Sugar 19
 n n ~ N 80th 20 n n
 80.00 Intersected N & S line at the post set for cor to Sec
 16, 17, 20, & 21 T^h 3rd N^o 17th.
 Land 1st & 2nd sec into Bush and Oak Hills

40.00 Between Sec. 17 & 20 T^h 3rd N^o 17th
 40.00 Set a post for cor to 1/4 sec from which a Gum
 12 inches dia bears S 28th 28 hds dish; + a Poplar
 6 n n ~ N 28th 34 n n
 80.00 Intersected N & S line at a post set for cor to Sec.
 17, 18, 19, & 20 T^h 3rd N^o 17th
 3rd sec into Bush & Oak upland
 Surveyed by Stone & Supper
 Dep^y Surveyors.

North From the Corner of Sec. 24 & 25 on the 2nd Mer
 Township N^o 3rd N^o 17th
 40.00 Set a post for cor to 1/4 sec from which a Hicory
 10 in dia bears S 42th 7 hds dish; under 7th Oak
 8 n n ~ N 27th 14 n n
 80.00 Set a post for cor to Sec. N^o 131 24 T^h 3rd N^o
 17th from which a Buck 19 in dia bears
 S 85th E 19 hds dish; + a 7th Oak 12 n n
 N 69th 19 n n This mile over good farming

T^N 3 N^R N^o 177. 2nd Mer. And^o

lands; Timber Oak, & Hickory underneath Spruce

North Continued the line on the 2nd Mer. East side of Sec. 13. T^N 3 N^R N^o 177

7.69 To a 14 Oak 12 in dia stands in the line
40.00 Got a post for cor to 74 sec from which a Hickory
10 in dia bears S 127^o. 11 linked dish; + a Log made
5 u u N 20 E. 16 u u

72.10 To a 14 Oak 30 in dia stands in the line
80.00 Got a post for cor to Sec. 12 & 13 T^N 3 N^R 177
from which a Log made 8 in dia bears N 65 E.
9 linked dish; Ho 9 u u S 67^o
10 u u Sande soil underneath 1 q same

North Continued the 2nd Mer. East side of Sec 12 T^N 3 N^R N^o 177

40.00 Got a post for cor to 74 sec from which a Log made
6 in dia bears S 46 E. 10 linked dish; + a Hickory
10 u u S 49^o. 14 u u

80.00 Got a post for cor to Sec 1 & 12 T^N 3 N^R N^o 177
from which a Hickory 12 in dia bears S 5 E 24^o NW
dish; + a 14 Oak 10 u u N 66^o 74 u u
This mile over very brushy Oak, Hickory, timber
lands; very many brown trees; sinkholes

North Continued the 2nd Mer. On the East side of Sec
1 T^N 3 N^R N^o 177

40.00 Got a post for cor to 74 sec from which a 14 Oak
15 in dia bears S 68 E 19 linked dish; + a Ho
18 u u S 62^o 25 u u

80.00 Got a post for cor to Sec. 4, 6, 31, 36, T^S 3 + 3. 45
4. N^R 1 E. + 177. From which a Poplar 10 in
dia bears S 38^o 13 linked dish; + a 14 Oak 10 u u
u u S 18 E. 33 u u Sande timber &
Soil same as last mile:

T. N. 3 N.R. N. 177 2nd & 3rd Sec. Ind.

North Between Sec. 23 & 24 T. N. 3 N.R. N. 177

36.00 To an old post for cor to 1/4 sec

40.00 Set a post for cor to 1/4 sec from which a
W Oak 8 in dia bears S 57 W 10. the dist is
W Oak 10 " " " S 11 E. 24 " "80.00 Set a post for cor to Sec 13, 14, 23, & 24 T. N.
3 N.R. N. 177 from which a

W Oak 15 in dia bears S 17 E. 23. the dist is

W Oak 10 " " " N 2 E 10 " "

Sands rolling and brushy Timber Oak & Hickory
many white holesEast On all random line between Sec. 13 & 24 T. N.
3 N.R. N. 177

40.00 Set a temporary post for cor to 1/4 sec

81.00 Intersected N 45 line 45 miles North of cor
cor. Sands timber & soil same as last mile

West On true line between Sec. 13 & 24 T. N. 3 N.R.

40.50 Set the temporary post at aver. dist; on true line for
cor to 1/4 sec from which a W Oak 18 in dia bears
South 8 miles dist; under Logwood Co " "

N 56 E 13 " "

81.00 To the post set for cor to Sec. 13, 14, 23 & 24.

North Between Sec. 13 & 14 T. N. 3 N.R. N. 177

25.00 To a W Oak 20 in dia stands in the line

40.00 Set a post for cor to 1/4 sec from which a Poplar
10 in dia bears N 85 E. 22. the dist is; & an Elm
10 " " " N 45 E. 22 " "80.00 Set a post for cor to Sec 11, 12, 13 & 14 T. N. 3
N.R. N. 177 from which a W Oak 8 in dia bears

N 23 E. 33 miles dist; & Hickory 10 " " "

N 27 W. 27 " " Sands soil timber & c
same as the last mile.

T. No 3 N.R. No 197 Grad Mex. Ind. a

East On a Random line between Sec. 12 & 13 T. No 3 N.
 40.00 Set a temporary post for cor to 74 Sec
 80.00 Intersected N.S. line at the post set for cor to
 Sec. 12 & 13 T. No 3 N. 197.

West Between Sec. 12 & 13 on true line
 40.00 Set temporary post at aver. dist; on true line for cor
 to 74 Sec. from which a W. Oak 15 in dia bears S 74
 E 9 miles dist; and a Log marked 8 n e - N 36 W
 23 n -
 80.00 To the post set for cor to Sec. 11, 12, 13 & 14

North Between Sec. 11 & 12 T. No 3, N.R. No 197
 19.50 To a Book 10 Mts wide; course N.E.
 40.00 Set a post for cor to 74 Sec from which a
 W. Buck 6 in dia bears S 49 E 8 miles dist; & a
 Do 5 n e - N 76 E 18 n e -
 80.00 Set a post for cor to Sec. 1, 2, 11, & 12 T. No 3 N.
 N.R. No 197. From which a Buck 8 in dia bears
 S 28 E 14 miles dist; and a Do 9 n e -
 N 84 E 16 n e - This mile over flat lands
 Juniper Oak, Buck & Log

East On a Random line between Sec. 1 & 12 T. No 3 N.R. No 197
 40.00 Set a temporary post for cor to 74 Sec
 80.00 Intersected N.S. line 46 Mts N. of post set for
 cor to Sec. 1, 2, 11, & 12 Lands brushy & rolling

West On true line between Sec. 1 & 12 T. No 3 N.R. No 197
 40.50 Set temporary post on true line at aver. dist for cor
 to 74 Sec from which a Poplar 30 in dia bears
 N 26 E 19 miles dist; to Log marked 6 n e -
 S 18 W 18 n e -
 80.00 To the post set for the cor of Sec. 1, 2, 11 & 12

North Between Sec. 1 & 2 T. No 3 N.R. No 197

T No 3 N.R. No 177 2nd Mer India^o

- 22.00 To Poplar 20 in dia stands in the line
 40.00 Set a post for cor. to 1/4 sec from which a
 W Oak 12 in dia bears S 78° W 5 links dist; 100
 Hickory 6 in " " N E. 13 " "
- 49.94 Set a post for cor. to Sec. No 1 & 2 on the N.
 Boundary 42 links East of cor. for sec. 35 & 36 T
 No 4 N.R. No 177 from which a Maple 10 in
 dia bears S 35° E 14 links dist; & a 100, 120
 " " S 55° W. 19 " " Sand flat.

- West Between Sec. No 14 & 23. T No 3 N.R. No
 177. On a Random line
 40.00 Set a stump post for cor. to 1/4 sec
 81.18 Intersection N. & S line 50 links N. of sec cor
 14, 15 22, & 23. Sand very brushy timber
 Oak, & Hickory

- North Between Sec. No 14 & 15. T No 3 N.R. No
 177. On 6° variation
 40.00 Set a post for cor. to 1/4 sec from which a Hick
 10 in dia bears S 55° E 21 links dist; & a 100
 15 " " " S 46° W. 14 " "
- 80.70 Set a post for cor. to Sec. 10, 11, 14 & 15 T No 3
 N.R. No 177 from which a W Oak 20 in dia bears
 S 62° E. 16 links dist; & a 100 20 " " "
 S 76° W 19 " " This mile over very brushy
 Oak, & Hickory lands;

- East On a Random line between Sec. 14 & 11 T No
 3 N.R. No 177
 19.50 To Arrow 15 links mid; Course South
 40.00 Set a stump post for cor. to 1/4 sec
 80.50 Intersection N & S line 35 links South of sec cor
 for Sec. 11, 12, 13, & 14 T No 3 N.R. No 177

- West On Iron line between Sec. 11 & 14 T No 3 N.

T. No. 3 N.R. No. 177 2nd 7m Indiana

U.R. No. 177

- 40.28 Set the temporary post at a certain distance in true line for cor to 74 sec from which a Poplar 30 in dia bears S50 E. 28 miles dish; & a W. Oak 20 " " " N44 W 17 " "
- 80.58 To the post set for cor to Sect. 10, 11, 14, & 15.

North Between Sect. 10 & 11 T. No. 3 N.R. No. 177

- 40.00 Set a post for cor to 74 sec from which a Hickory 10 in dia bears N57 W. 54 the dish; & a Gum 8 " " " S10 E. 48 " "
- 80.00 Set a post for cor to Sect. 2, 3, 10, & 11 from which a Hickory 10 in dia bears N E 52. the dish; & a W. Oak 10 " " " N78 W. 21 " " Sande underground void & timber same

East Between Sect. 11 & 12 T. No. 3 N.R. No. 177 On a Rander

- 40.00 Set temporary post for cor to 74 sec
- 80.32 Intersected N 8 line 27 miles south of the cor for 1, 2, 11, & 12. Land flat; Timber Oak, Poplar & Birch.

West Between Sect. 2 & 11 On true line T. No. 3 N.R. No. 177

- 40.16 Set the temporary post at a certain distance in true line for cor to 74 sec from which a W. Oak 10 in dia bears N44 W 10 miles dish; & also 9 " " " S33 E. 20 " "
- 80.32 To the post set for cor to Sect. 2, 3, 10, & 11

North Between Sect. 2 & 3 T. No. 3 N.R. No. 177

- 13.25 To a B. Oak 20 in dia stands on the line
- 40.00 Set a post for cor to 74 sec from which a Gum 10 in dia bears S21 W 11 miles dish; & a Birch 8 " " " N23 W 24 " "

T. No 3 RR No 177. 2nd Mer. Ind.

This 1/2 mile over very brushy Oak, & Hickory
lands;

- 64.30 To a Hickory 15 in dia stands in the line
81.59 Set a post for cor to sec. 2 & 3. RR. No 177
on the E & W line between T. No 3 & 4; 75
links East of the post set for cor to sec. 2 & 3
on the T. line from which a W Oak 20 in dia
bears S 33 E. 9 links dist; & a No 24 a
" S 53 W 13 " " Over level lands
Timber Oak, Hickory &c

North Between Sec. No 15 & 16 T. No 3. RR No
177. 2nd Mer.

- 40.00 Set a post for cor to sec. from which a B Oak
20 in dia bears N 65 W. 35 links dist; & a W Oak
20 " " " N 78 E. 37 " "
80.00 Set a post for cor to sec 9, 10, 15 & 16 from which
a W Oak 12 in dia bears N 65 E 21 links dist; &
Deposits Co " " " N 86 W 4 " "
This mile over very brushy lands; Timber Oak
Hickory &c

East Between Sec. No 10 & 15 on a Random line

- 40.00 Set temporary post for cor to 14 sec
81.60 Anticipated N & S line 20 links South of cor
to sec. 10, 11, 14, & 15 T. No 3 RR No 177
Lands timber &c same as the last mile;

West On True line between Sec. 10 & 15 T. No 3 RR
No 177

- 40.50 Set the temporary post at aver. dist; on true line for
cor to 14 sec from which a Gum 8 in dia bears
S 40 E. 12 links dist;
81.00 To the post set for cor to sec. 9, 10, 15, & 16

North Between Sec. 15 & 16 T. No 3 RR No 177

T. N. 3 N.R. No. 177 2nd Mer Indiana

40.00 Set a post for cor to 74 Sec from which a 79 Oak
20 mi dia bears N 65 W 35 links dist; & a 77 Oak
20 " " " N 78 E 37 " "

80.00 Set a post for cor to Sec 9, 10, 15, & 16 from which
a 77 Oak 19 mi dia bears N 85 E 21 links dist; & a
Logwood 6 " " " N 86 W 4 " "

North Between Sec 9 & 10 T. N. 3 N.R. No. 170

40.00 Set a post for cor to 74 Sec from which a 77 Oak
12 mi dia bears N 83 W 19 links dist; to Do
10 " " " N 72 E 19 " "

80.00 Set a post for cor to Sec 3, 4, 9, & 10 T. N. 3 N.R.
No. 177 from which a 77 Oak - mi dia bears N 75
E 20 links dist; & a Logwood 6 " " " S 24 W
17 " " " Sands rolling out bushy

East On N. Indiana line between Sec 3 & 10

40.00 Set a temp. post for cor to 74 Sec

80.00 Intersected N. Indiana line 14 links N. of Sec cor for
Sec 2, 3, 10, & 11 T. N. 3 N.R. No. 177
Sands thin and undergrowth the same

West Between line between Sec 3 & 10

40.00 Set the temp. post at the average dist; on true
line for cor to 74 Sec from which a 77 Oak 10 mi dia
bears S 34 E 85 links dist; and a Logwood 6 " "
" N 44 W 8 " "

80.00 To the post between Sec 3, 4, 9 & 10

North Between Sec 3 & 4 T. N. 3 N.R. No. 170

26.45 To a 77 Oak 20 mi dia stands on the line

40.00 Set a post for cor to 74 Sec from which a 77 Oak
10 mi dia bears S 61 E 25 links dist; & a Sum
15 " " " N 70 W 23 " "

81.85 Set a post on the North Indiana line East of
first set for cor to Sec 3 & 4 T. N. 3 N.R. No. 170

T. No 3 RR No 177 2nd Mer. Ind^o

From which a W. Oak 12 in dia bears S55 E.
56 links dist; This mile over very brushy Rolling
Oak, & Hickory Timbered lands:

North Between Sec 16. & 17 T. No 3 RR No 177

40.00 Set a post for cor to 1/4 sec

80.00 Set a post for cor to sec. 8, 9, 16, & 17 T. No 3 RR

No 177. From which a Poplar 10 in dia bears
N 8 E. 36 links dist; & a Gum 12 in dia
S 67 W. 41 in dia - Lands rolling; Timber Oak
Hickory and Poplar.

East On a Random line between Sec. 9. & 16 T. No
3 RR No 177.

40.00 Set a temporary post for cor to 1/4 sec

81.25 Intersected N & S line 8 links North of cor
to Sec. 9, 10, 15, & 16 T. No 3 RR No 177
Lands timber and so forth the same

West On true line between Sec. 9. & 16 T. No 3 RR
No 177

40.62 1/2 Set temporary post at avor. dist on true line for cor
to 1/4 sec from which a W Oak 12 in dia bears East
64 links dist;

81.25 To the post set for the cor. to sec. 8, 9, 16 & 17

North Between Sec. 8 & 9 T. No 3 RR No 177.

40.00 Set a post for cor to 1/4 sec from which a W Oak
20 in dia bears S 31 W. 14 links dist; & a Gum
6 in dia N 67 E 17 in dia

80.00 Set a post for cor to sec. 4, 5, 8, & 9 T. No 3

RR No 177 from which an Elm 8 in dia
bears S 3 E. 11 links dist; & a Black Oak 12 in dia
North 21 in dia

Lands timber &c the same as the last mile

T^N 3 N. 4^R No 177. 2nd Mer. Ind.^a

East On Random line between Sec. 4 & 9 T^N 3 N.
4^R No 177.

40.00 Set a temporary post for cor to 7/4 sec

80.26 Intersected N & S line 15 miles N. of sec cor
for sec 3, 4, 9, & 10 T^N 3 N^R No 177
Lands timber &c same as the last mile

West On true line between Sec. 4 & 9 T^N 3 N.
4^R No 177 2nd Mer

40.13 Set temporary post at corner dist in true line for
cor to 7/4 sec from which a W Oak 30 in dia
bears S 80^W 16 miles dist; a N Walnut 12 in
" N 65 E. 12 " "

80.26 To the post set for the cor to sec 4, 5, 8 & 9

North Between Sec. 4 & 5 T^N 3 N^R No 177

40.00 Set a post for cor to 7/4 sec. from which a W Oak
24 in dia bears N 61 E. 20 miles dist; a Pop
lar 30 " " " S 31^W 30 " "

81.00 Set a post on the North Boundary 15 Miles
East of the post set for the cor. of sec. 4 & 5 T^N 3
N^R No 177. from which a Gum 10 in dia
bears S 20 E. 3 miles dist; and a W Oak 30 " "
" S 19^W. 18 " " This mile over very good
farming lands; timber Oak, Hickory and Pop-
lar

West Between Sec. 8 & 17 T^N 3 N^R No 177. On
Random

40.00 Set a temporary post for cor to 7/4 sec

82.58 Intersected N & S line at the post set for cor to
sec. 7, 8, 17, & 18 T^N 3 N^R No 177
Lands rolling; timber Oak, Hickory & Beech

East On true line between Sec. 8 & 17

41.29 Set the temporary post at the corner dist for 7/4 sec cor

T. No. 3 N.R. No. 177. 2nd and 7th Sec. Ind^a.

on true line from which a W Oak 12 in dia bears
West 5 links dist;

82.58 To the first set for cor to Sec. 8, 9, 16, & 17

North Between Sec. 7 & 8. T. No. 3 N.R. No. 177

40.00 Set a post for cor to 1/4 sec from which a Locust
10 in dia bears S 68 E. 17 links dist; & a Hickory
10 n n n N 39 E 30 n n

52.00 To a W Oak 30 in dia stands on the line

79.00 To a Brook 10 links wide; course S. W.

80.50 Set a post for cor to Sec. 5, 6, 7 & 8 T. No. 3 N.R.
No. 177. From which a Maple 12 in dia bears
S 55 E. 13 links dist; & also 10 n n n
S 80 W. 8 n n This mile over flat land
Timber Beech, Maple, Oak &c

East On Random line between Sec. No. 5 & 8 T. No.
3 N.R. No. 177.

1.50 To a Brook 10 links wide; course N. W.

40.00 Set a temporary post for cor to 1/4 sec from line

80.00 Intersected N.P.S. line 45 links N. of post
set for cor to Sec. 4, 5, 8, & 9. T. No. 3 N.R. No.
177. Land Rolling Timber Oak, Sugar &
Poplar

West On True line between Sec. 5 & 8 T. No. 3 N.R. No. 177

40.00 Set temporary post at area. dist; on true line for cor
to 1/4 sec from which a Hickory 18 in dia bears
N 5 E 8 links dist; & also 6 n n n
S 50 W 18 n n

80.10 To the first set for cor to Sec. 5, 6, 7, & 8

North Between Sec. 5 & 6 T. No. 3 N.R. No. 177

40.00 Set a post for cor to 1/4 sec from which a Beech
12 in dia bears S 71 W 37 links dist; & a W Oak
12 n n n S 50 E 17 n n

Nov. 16. 1839

103
89

T. N^o 3 N. R. N^o 177. 2^d Mer. Ind^a.

80.82 Set a post on the North Boundary of T. N^o 3
N. R. N^o 177. For cor to Sec. 5 & 6. From which
a W Oak 15 in dia bears S46 E. 21 links dist;
to do do " " N78 W 30 " "
Lands timber under growth so same as the last one

West Between Sec. N^o 6 & 7 T. N^o 3 N. R. N^o 177
40.00 Set a post for the cor to Sec. 6 & 7
W Oak 20 in dia bears N37 E 24 links dist; to
Maple 10 " " " N79 W 6 " "

84.25 Set a post on the West Boundary 100 links S.
of the cor. for sec. to sec. 6 & 7 T. N^o 3 N. R. N^o
177. and set a post for cor to Sec. 6 & 7
from which a Spruce 20 in dia bears S75 E.
22 links dist; to Sugar 10 " " " N68 E
21 " " " Over very brushy lands

Surveyed by
Arthur Henrie Esq.

West Between Sec. 15 & 22, T. 3 N. R. 17 W

40.00 a Dogwood 9 in diam. (marked for q. Sec. Cor.)

80.00 Intersected the corner of Sec. 16, 15, 21 & 22
first contemplated, timber Sugar tree, Oak,
Poplar, &c. sink holes. Jan. 1st 1805
Surveyed by J. J. Supper & Stone, Dep. Surveyors

South Boundary

Bearing at the Cor. to Sec. 35 & 36, T. 3 N. R. 17 W
a Dogwood 7 in diam. bears N59 W 21 links dist. of
a Walnut 7 " " " N76 E 12 " "

East On S. boundary of Sec. 36, T. 3 N. R. 17 W

40.00 Set q. Sec. post, from which
a Dogwood 7 in diam. bears S32 W 5 links dist. of
an Elm 8 " " " N66 E 28 " "

53.00 Intersected E. boundary of the Vincennes Tract

S. N. R. W. T. Mer. Indiana

Set post Cor. to Sec. 36 of 1, Township 2 of 3 N.
 Range N. 1 West, from which
 a Logwood 8 in. diam. beam S 24 E 20 lks. dist. of
 a Red Oak 7 " " " N 48 E 25 " "
 (Description of Land &c. Omitted)

West On S. boundary of Sec. 35

40.00 Set of Sec. post, from which
 a W. Oak 11 in. diam. beam N 70 E 26 lks. dist. of
 a B. Cherry 18 " " " S 53 W 24 " "

80.00 Set post Cor. to Sec. 34 of 35, from which
 an Oak 14 in. diam. beam S 44 E 6 lks. dist. of
 a Red Oak 7 " " " N 44 W 6 " "
 1st rate hill, B. Walnut, Sugar, Hackberry, Oak &c

West On S. boundary of Sec. 34

40.00 Set of Sec. post, from which
 an Elm 8 in. diam. beam S 80 W 13 lks. dist. of
 a W. Oak 7 " " " N 27 E 4 " "

80.00 Set post Cor. to Sec. 33 of 34, from which
 a Red Oak 12 in. diam. beam S 88 W 30 lks. dist. of
 a Mulberry 4 " " " N 53 E 15 " "
 1st 1/2 mile 2nd rate hill Oak &c. last 1/2 2nd rate
 hill, some Oak, Gum, Ash, Beech, Poplar &c.

West On S. boundary of Sec. 33

40.00 a W. Oak 9 in. diam. Marked for of. Sec. Corner.

53.00 a Good Spring near the height of land

80.00 Set post Cor. to Sec. 32 of 33, from which
 a W. Oak 12 in. diam. beam N 66 E 10 lks. dist. of
 a Sugar 10 " " " S 58 E 22 " "
 1st rate hill land, timber N 1/2 W 1/2 Walnut, Sugar
 Hackberry &c

West On S. boundary of Sec. 32

40.00 Set of Sec. post from which

a Hickory 12 in. diam. beam N 40 E 15 lks. dist. of

T3N R19W 2nd Mer. Indiana 91

Ch. lns.

a Hickory 7 in. diam. bran, S30W 9 lns. dist.
 80.00 Set post Cor. to Sec. 31 & 32, from which
 a Sugar 11 in. diam. bran, N75W 32 lns. dist. of
 a Do. 7 " " " N22E 15 " "
 Land 3rd rate hill, timber Oak &c.

West On S. boundary of Sec. 31
 40.00 Set q. Sec. post, from which
 a Sugar 8 in. diam. bran, S66E 26 lns. dist. of
 a Beech 7 " " " North 30 " "
 80.00 Intersected the post Cor. to Township 25 3 N.
 Range 1 of 2 W. Land 1st rate hill, timber W of
 B. Walnut, Sugar, P. Cherry, Honey Locust &c.
 The Random line fell 100 lns. South.
 Surveyed Dec. 1844 by S. P. Sutton, Dep. Sur.

North Boundary var. 7.00'E

West On S. boundary of Sec. 36, T4N R19W
 40.00 Set q. Sec. post, from which
 a Hickory 10 in. diam. bran, N25E 20 lns. dist. of
 a Dogwood 5 " " " N45W 20 " "
 80.00 Set post Cor. to Sec. 35 & 36, T4N R19W, from which
 a P. Oak 18 in. diam. bran, S69W 7 lns. dist. of
 a Maple 10 " " " S67E 28 " "
 This mile over good farming; timbered Oak & Hickory

West On S. boundary of Sec. 35, T4N R19W
 40.00 Set q. Sec. post, from which
 a Hickory 12 in. diam. bran, West 3 lns. dist.
 No other
 80.00 Set post Cor. to Sec. 34 & 35, T4N R19W, from which
 a Hickory 8 in. diam. bran, N69E 11 lns. dist. of
 a P. Walnut 10 " " " N12W 7 " "
 Land timber &c. same as on the last mile

S 3 N. R 1 W. T. Mer. Indiana

ck. lbs.	
40.00	<p>West On S. boundary of Sec. 34, T4 N. R1 W</p> <p>Set of Sec. post, from which</p> <p>a W. Oak 24 in. diam. bear N 65 E 35 lbs. dist. of</p> <p>a W. Oak 24 " " " S 11 W 14 " "</p>
80.00	<p>Set post Corner to Sec. 33 & 34, T4 N. R1 W, from which</p> <p>a Hickory 12 in. diam. bear West 58 lbs. distant</p> <p>no other.</p> <p>Sand timber &c. Same as on the last mile</p>
40.00	<p>West On S. boundary of Sec. 33, T4 N. R1 W</p> <p>Set of Sec. post, from which</p> <p>a W. Oak 10 in. diam. bear S 10 E 23 lbs. dist. of</p> <p>a Gum 9 " " " S 30 W 31 " "</p>
80.00	<p>Set post Cor. to Sec. 32 & 33, T4 N. R1 W, from which</p> <p>a Gum 10 in. diam. bear S 78 E 16 lbs. dist. of</p> <p>a W. Oak 24 " " " S 25 E 18 " "</p> <p>Sand timber &c. Same as on the last mile</p>
40.00	<p>West On S. boundary of Sec. 32, T4 N. R1 W</p> <p>Set of Sec. post, from which</p> <p>a Hickory 6 in. diam. bear N 76 W 5 lbs. dist. of</p> <p>a Gum 6 " " " S 70 E 12 " "</p>
80.00	<p>Set post Cor. to Sec. 31 & 32, T4 N. R1 W, from which</p> <p>a Hickory 12 in. diam. bear S 32 W 9 lbs. dist. of</p> <p>a Dogwood 6 " " " N 3 E 12 " "</p> <p>Sand timber &c. Same as on the last mile</p>
40.00	<p>West On S. boundary of Sec. 31, T4 N. R1 W.</p> <p>Set of Sec. post, from which</p> <p>a W. Oak 12 in. diam. bear S 38 W 18 lbs. dist. of</p> <p>no other</p>
86.00	<p>To Low Corner.</p> <p>Sand timber &c. Same as on the last mile</p> <p>Surveyed by Arthur Henrie, D. S.</p>

T3N R2W 2nd Mer. Indiana

107
9/3

Ch. lns.

Nest Boundary

North On E. boundary of Sec. 36, T3N. R2W

31.50 a W. Oak 36 in. diam.

40.00 a Beech 12 in. diam. (Marked for q. Sec. Corner

49.00 a W. Oak 10 " "

80.00 Set post Cor. to Sec. 25 of 36, T3N. R2W, from which

a Sugar 8 in. diam. bay S30W22 lns. dist. of

a Poplar 7 " " " N19W13 " "

Land 2nd rate hill, timber Oak, some Poplar, Sugar
R. of W. Walnut &c.

North On E. boundary of Sec. 25, T3N. R2W

32.50 a W. Oak 18 in. diam.

40.00 Set q. Sec. post, from which

a W. Walnut 7 in. diam. bay N11E18 lns. dist. of

a Sassafras 7 " " " N16W14 " "

73.00 a R. Oak 36 " "

80.00 Set post Cor. to Sec. 24 of 25, T3N. R2W, from which

a Sugar 12 in. diam. bay N10E16 lns. dist. of

a W. Oak 12 " " " S77W30 " "

Land flat ridgy, soil 1st rate

North On E. boundary of Sec. 24, T3N. R2W.

34.28 a W. Oak 24 in. diam.

40.00 Set q. Sec. post, from which

a Poplar 30 in. diam. bay S83E21 lns. dist. of

a Beech 6 " " " N51W23 " "

57.65 a W. Oak 18 " "

80.00 Set post Cor. to Sec. 13 of 24, T3N. R2W, from which

a Beech 6 in. diam. bay N29W22 lns. dist. of

a Do. 18 " " " N63E32 " "

Land &c. 3rd rate Beech, Oak &c. upland

North On E. boundary of Sec. 13, T3N. R2W

T3N R19W T. Mer. Indiana

Ch. Lns.

25.60 a Beech 18 in. diam.

40.00 Let of Sec. post, from which
a Gum 20 in. diam. bran North 29 lbs. dist. of
a Dogw. 6 " " " 18 E 18 " "

63.30 a Poplar 40 " "

80.00 Let post Cor. to Sect. 12 & 13, T3N R29W, from which
a Beech 16 in. diam. bran N 22 W 50 lbs. dist. of
a W. Oak 18 " " " N 76 E 35 " "
2nd & 3rd rate upland, timber, Beech, Poplar, Oak &c.

North On E. boundary of Sec. 12, T3N R29W

37.13 a W. Oak 14 in. diam.

40.00 Let of Sec. post, from which
a Beech 18 in. diam. bran N 80 W 27 lbs. dist. of
a Angartree 12 " " N 37 E 28 " "46.50 Intersected freeman's line Let post from which
a Beech 14 in. diam. bran N 41 W 26 lbs. dist. of
a Sugar 11 " " " N 3 E 16 " "2nd rate upland, timber Oak, Poplar, Beech, Sugar &c.

Surveyed by Inppur Stone Dep't. Surveyor, in 1804

80.00 Let post Cor. to Sect 1 & 12, T3N R29W, from which
a Dogwood 6 in. diam. bran N 46 E 16 lbs. dist. of
a Beech 10 " " " N 6 E 16 " "This mile over hilly land, timber Beech, Oak & Hickory
underg^g. Spice, Dogwood, Sassafras &c.

North On E. boundary of Sec. 1, T3N R29W

40.00 Let of Sec. post, from which
a Dogwood 6 in. diam. bran N 22 E 5 lbs. dist. of
an Ironwood 6 " " " N 10 E 25 " "80.00 Let post Cor. to Towns 3 & 4 N, Range 1 of 2 W, from which
a Sugar 12 in. diam. bran N 22 W 4 lbs. dist. of
a S. Oak 30 " " " N 64 E 29 " "Sand timber &c. Same as on the last mile
Surveyed by Arthur Henrie, D.S.